Technical Data Sheet

Beverage Stabilization

Ascorbic Acid (E 300)

Stabilizer

Ascorbic Acid stabilizer is a very pure vitamin C product, specially selected for application in wine, champagne, and fruit juice. It protects the bottled beverage against chemical oxidations.

The specific advantages of Ascorbic Acid stabilizer:

- Rapid reaction with oxygen, which prevents chemical oxidation
- Stabilization of the beverage bouquet and taste
- Positive influence on the taste, above all beverages low in acid
- High chemical purity

Application

In the filled bottle, Ascorbic Acid stabilizer serves to protect the beverage from chemical oxidations. Through its use in wine and champagne, however, it is not possible wholly to dispense with SO₂, because the sulphurous acid demonstrates other characteristics (e.g. protection against enzymatic reactions, protection against secondary fermentations, combination with free acetaldehyde content), which cannot be taken over by Ascorbic Acid.

Ascorbic Acid stabilizer is very sensitive to heavy metals, such as iron and copper.

For this reason, Ascorbic Acid stabilizer should only be added to the beverage ready for bottling. With wine and champagne, it is important to control the free SO_2 content before addition, which should be around 0.21 lb/1,000 gal (25 mg/l). Only when the wine or champagne shows a stable SO_2 content, an optimal protection against oxidation can be guaranteed by Ascorbic Acid.

The problem of hints of a typical ageing

The addition of Ascorbic Acid stabilizer at the young wine stage can delay the formation of AAP (2-aminoaceto-phenone), which is responsible for the occurrence of hints of atypical ageing. For successful implementation, the following basic rules should be followed.

Early addition (if required) of approximately 0.67 lb/1,000 gal (80 mg/l) of Ascorbic Acid at the young wine stage after the first racking:

- Cool storage
- Containers should be kept filled up to the stopper
- Regular SO₂ checks

Prior to filling, a further dose of 0.33 lb/1,000 gal (40 mg/l) should be added.

The maximum permitted quantity in wine or champagne in Germany is 2,09 lb/1,000 gal (250 mg/l) since Aug 7, 2003. In other countries, the relevant national legislation is to be observed. No general recommendation for the addition of Ascorbic Acid stabilizer to wine can be given.

In the fruit juice sector, the relevant legislation of the country in which the application takes place must be observed. With fruit juice also, the addition of Ascorbic Acid stabilizer should take place shortly before filling.

Ascorbic Acid stabilizer is dissolved free of lumps in 10 – 20 times the volume of beverage and slowly added to the entire beverage by intensive mixing. After addition, continue mixing for some minutes to ensure even distribution.

Product Characteristics

Ascorbic Acid stabilizer is a very high quality and pure product, contained in many fruits as naturally-occurring vitamin C. Due to its very strong reducing characteristics, Ascorbic Acid stabilizer is excellently suited as protection against chemical oxidations in beverages. Ascorbic Acid stabilizer is sensitive to air and light.

Safety

When used correctly, Ascorbic Acid stabilizer demonstrates no detrimental effects.

Further safety information can be found in the relevant Material Safety Data Sheet, which can be downloaded from our website.



Storage

Ascorbic Acid stabilizer is supplied in air- and lightproof aluminum-multilayer film. Open packages should immediately be tightly reclosed, stored cool, dry and protected from light, and quickly used up. Closed packages will last at least two years.

Delivery Information

Ascorbic Acid stabilizer is sold under article no. 64.202 and is available in the following package sizes:

2.2 lb (1 kg) aluminum-multilayer film

25 x 2.2 lb (1 kg) in cardboard box

Ascorbic Acid stabilizer is sold under article no. HW.003 and is available in the following package size:

55.1 lb (25 kg) plastic foil in carton

Certified Quality

Ascorbic Acid stabilizer is monitored regularly during the production process to ensure consistently high quality. These inspections cover technical function criteria as well as compliance with the law governing the production and sale of foodstuffs. Strict controls are also carried out immediately before and during final packing.

North America 44 Apple Street Tinton Falls, NJ 07724

Toll Free: 800 656-3344 (North America only) Tel: +1 732 212-4700

Europe/Africa/Middle East Auf der Heide 2

53947 Nettersheim, Germany Tel: +49 2486 809-0

Friedensstraße 41 68804 Altlußheim, Germany Tel: +49 6205 2094-0

An den Nahewiesen 24 55450 Langenlonsheim, Germany Tel: +49 6704 204-0

China

No. 3, Lane 280, Linhong Road Changning District, 200335 Shanghai, P.R. China Tel: +86 21 5200-0099

Singapore

4 Loyang Lane #04-01/02 Singapore 508914 Tel: +65 6825-1668

Brazil

Rua Clark, 2061 - Macuco 13279-400 - Valinhos, Brazil Tel: +55 11 3616-8400

For more information, please email us at *filtration* @eaton.com or visit www.eaton.com/filtration

© 2016 Eaton. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances

exist or because of applicable laws or government

regulations.



EN 1 B 2.2.1.3 12-2016