

Pure Fermentation Fermentation Salt

Diammonium Phosphate

Fermentation Salt yeast nutrient is a pure diammonium phosphate produced especially for yeast nutrition for application in difficult attenuations.

The specific advantages of Fermentation Salt yeast nutrient:

- Ensures rapid yeast propagation
- Equalizes deficiencies in nitrogen and phosphate
- Improved fermentation degree and higher alcohol yield

Application

Fermentation Salt yeast nutrient can be predissolved directly in a little juice or cold water and then added to the fermenting beverage. Mixing well ensures optimal distribution.

Dosage

With a normal fermenting curve, add 8.35 lb/1,000 gal (100 g/hl) Fermentation Salt yeast nutrient (EC No. 1410/2003 since August 7, 2003) to the must, wine or distillation mash.

In Germany the use of diammonium phosphate in compensation distilleries is forbidden by law. In other countries, the relevant national legislation has to be observed.

Safety

When used as directed and processed correctly, no disadvantageous effects are known. Take special care in the transport, storage and application of chemicals.

Further safety information can be found in the relevant Material Safety Data Sheet, which can be downloaded from our website.

Storage

Fermentation Salt yeast nutrient must always be stored in tightly-closed packaging and stored as dry as possible. Open packages should be used as soon as possible.

Delivery Information

Fermentation Salt yeast nutrient is sold under Article No. 64.401 and is available in the following package size:

11 lb (5 kg) bucket

Fermentation Salt yeast nutrient is sold under Article No. HW.009 and is available in the following package size:

55.12 lb (25 kg) sack

HS Customs Tariff: 3105 30 00

Certified Quality

Fermentation Salt yeast nutrient is monitored constantly during the production process to ensure consistently high quality. This covers the technical function criteria as well as approval in accordance with the law governing the production and sale of foodstuffs. Strict controls are carried out immediately before and during final packing.

North America

44 Apple Street
Tinton Falls, NJ 07724
Toll Free: 800 656-3344
(North America only)
Tel: +1 732 212-4700

Europe/Africa/Middle East

Auf der Heide 2
53947 Nettersheim, Germany
Tel: +49 2486 809-0

Friedensstraße 41
68804 Altlufheim, Germany
Tel: +49 6205 2094-0

An den Nahewiesen 24
55450 Langenlonsheim, Germany
Tel: +49 6704 204-0

China

No. 3, Lane 280,
Linhong Road
Changning District, 200335
Shanghai, P.R. China
Tel: +86 21 5200-0099

Singapore

4 Loyang Lane #04-01/02
Singapore 508914
Tel: +65 6825-1668

Brazil

Av. Julia Gaioli, 474 – Bonsucesso
07251-500 – Guarulhos, Brazil
Tel: +55 11 2465-8822

**For more information, please
email us at filtration@eaton.com
or visit www.eaton.com/filtration**

EN
1 B 2.4.5
09-2015

© 2015 Eaton. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.



Powering Business Worldwide